

Day : Friday
Date: 1/14/2005

Time: 11:08:57


PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = KOBAYASHI

First Name = AKIHIRO

Application#	Patent#	Status	Date Filed	Title	Inventor Name 31
<u>10648436</u>	Not Issued	071	08/27/2003	CONNECTOR HAVING AIR CONDUCTING STRUCTURE AND SENSOR SYSTEM INCLUDING THE CONNECTOR	KOBAYASHI, AKIHIRO
<u>10607191</u>	Not Issued	030	06/27/2003	NOX MEASUREMENT APPARATUS	KOBAYASHI, AKIHIRO
<u>10489813</u>	Not Issued	030	03/17/2004	NOX MEASUREMENT DEVICE, NOX SENSOR SELF-DIAGNOSIS DEVICE, AND SELF-DIAGNOSIS METHOD THEREOF	KOBAYASHI, AKIHIRO
<u>10394039</u>	<u>6725829</u>	150	03/24/2003	COMBUSTION CONTROL APPARATUS OF DIESEL ENGINE	KOBAYASHI, AKIHIRO
<u>09986630</u>	<u>6713589</u>	150	11/09/2001	PHENYL, NAPHTHLY OR FLUORENE CYCLOPENTYL EPOXY RESINS	KOBAYASHI, AKIHIRO
<u>09670695</u>	<u>6354269</u>	150	09/28/2000	METHOD AND SYSTEM FOR CONTROLLING ENGINE	KOBAYASHI, AKIHIRO
<u>09574258</u>	<u>6405551</u>	150	05/19/2000	HEATING APPARATUS HAVING REFRIGERATION CYCLE	KOBAYASHI, AKIHIRO
<u>09319487</u>	<u>6329492</u>	150	08/13/1999	PHENYL, NAPHTHYL OR FLUORENE CYCLOPENTYL EPOXY RESIN	KOBAYASHI, AKIHIRO
<u>09179951</u>	<u>6103828</u>	150	10/28/1998	MACROMOLECULAR MATERIAL COMPOSITION AND A MODIFIER FOR MACROMOLECULAR MATERIAL	KOBAYASHI, AKIHIRO
<u>09115376</u>	<u>5968409</u>	250	07/13/1998	METHOD FOR PREPARING TRIMER OF ALPHA-METHYL	KOBAYASHI, AKIHIRO

				STYRENE OR DERIVATIVES THEREOF	
<u>09110818</u>	<u>5939593</u>	150	07/07/1998	BROMINATED 1,3-DIMETHYL- 3-PHENYL-1-(2-METHYL-2- PHENYLPROPYL)-INDANE AND METHOD FOR PREPARING THE SAME	KOBAYASHI , AKIHIRO
<u>08739835</u>	<u>5743101</u>	150	10/30/1996	AIR-CONDITIONER	KOBAYASHI , AKIHIRO
<u>07500900</u>	Not Issued	161	03/29/1990	AMINO COMPOUNDS, AMINO RESINS OBTAINED THEREFROM, PRODUCTION OF AMINO RESINS AND RESIN COMPOSITIONS FOR WATER- BORNE COATINGS	KOBAYASHI , AKIHIRO
<u>07416993</u>	<u>5072027</u>	150	10/04/1989	PROCESS FOR PRODUCING METHACRYLIC ACID ESTERS	KOBAYASHI , AKIHIRO
<u>07287018</u>	<u>4986648</u>	150	12/21/1988	LENS AND OPTICAL DISC BASE PLATE OBTAINED FROM COPOLYMER OF NORBORNYL (METH)ACRYLATE	KOBAYASHI , AKIHIRO
<u>07194347</u>	<u>4916255</u>	150	05/16/1988	METHOD FOR PRODUCTION OF METHACRYLATE ESTER	KOBAYASHI , AKIHIRO
<u>07163708</u>	<u>4887072</u>	150	03/03/1988	ALARM APPARATUS	KOBAYASHI , AKIHIRO
<u>07063299</u>	<u>4868261</u>	150	06/18/1987	OPTICAL RESIN MATERIAL	KOBAYASHI , AKIHIRO
<u>07001978</u>	<u>4725821</u>	150	01/09/1987	DEVICE FOR GENERATING AN ALARM SIGNAL	KOBAYASHI , AKIHIRO
<u>06915492</u>	<u>4686166</u>	150	10/06/1986	ELECTROPHOTO TONER COMPRISING IMIDO GROUP MONOMER UNIT IN POLYMER	KOBAYASHI , AKIHIRO
<u>06915123</u>	<u>4674420</u>	150	10/03/1986	EMBROIDERY MACHINE CONTROL DEVICE HAVING MEANS TO INPUT NEW CHARACTER PATTERNS INTO PRE-PROGRAMMED SERIES OF PATTERNS	KOBAYASHI , AKIHIRO
<u>06908241</u>	<u>4727818</u>	150	09/17/1986	EMBROIDERY MACHINE APPARATUS	KOBAYASHI , AKIHIRO
<u>06881599</u>	Not Issued	161	07/03/1986	PHOTOELECTRIC SMOKE DETECTOR	KOBAYASHI , AKIHIRO
<u>06789768</u>	<u>4639712</u>	150	10/21/1985	SHEATHED HEATER	KOBAYASHI , AKIHIRO

<u>06779847</u>	<u>4823118</u>	150	09/25/1985	FIRE SENSOR	KOBAYASHI , AKIHIRO
<u>06533556</u>	<u>4507460</u>	150	09/19/1983	EPOXY RESIN COMPOSITION	KOBAYASHI , AKIHIRO
<u>06388244</u>	<u>4491667</u>	150	06/14/1982	HEXAHYDROPHthalIDES	KOBAYASHI , AKIHIRO
<u>06362518</u>	Not Issued	161	03/26/1982	ENGINE PREHEATING SYSTEM	KOBAYASHI , AKIHIRO
<u>06294821</u>	<u>4417550</u>	250	08/21/1981	ENGINE PREHEATING APPARATUS	KOBAYASHI , AKIHIRO
<u>06228552</u>	<u>4363958</u>	250	01/26/1981	PREHEATING APPARATUS FOR DIESEL ENGINES	KOBAYASHI , AKIHIRO
<u>06186579</u>	<u>4367375</u>	150	09/12/1980	PUSH-BUTTON DIAL CIRCUIT	KOBAYASHI , AKIHIRO

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name

First Name

kobayashi

akihiro

Search

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

Day : Friday
Date: 1/14/2005

Time: 11:12:06

**PALM INTRANET****Inventor Name Search Result**

Your Search was:

Last Name = KUMAZAWA

First Name = SHINJI

Application#	Patent#	Status	Date Filed	Title	Inventor Name 3
10648436	Not Issued	071	08/27/2003	CONNECTOR HAVING AIR CONDUCTING STRUCTURE AND SENSOR SYSTEM INCLUDING THE CONNECTOR	KUMAZAWA, SHINJI
10607191	Not Issued	030	06/27/2003	NOX MEASUREMENT APPARATUS	KUMAZAWA, SHINJI
10489813	Not Issued	030	03/17/2004	NOX MEASUREMENT DEVICE, NOX SENSOR SELF-DIAGNOSIS DEVICE, AND SELF-DIAGNOSIS METHOD THEREOF	KUMAZAWA, SHINJI

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
<input type="text" value="kumazawa"/>	<input type="text" value="shinji"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Friday
Date: 1/14/2005

Time: 11:12:24


PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = INOUE

First Name = YOSHINORI

Application#	Patent#	Status	Date Filed	Title	Inventor Name 51
<u>11003750</u>	Not Issued	019	12/03/2004	PISTON TYPE COMPRESSOR	INOUE, YOSHINORI
<u>10997231</u>	Not Issued	020	11/23/2004	DISK DRIVE AND CONTROL METHOD FOR DISK DRIVE	INOUE, YOSHINORI
<u>10869932</u>	Not Issued	041	06/18/2004	PROBER AND PROBE TESTING METHOD FOR TEMPERATURE-CONTROLLING OBJECT TO BE TESTED	INOUE, YOSHINORI
<u>10865001</u>	Not Issued	020	06/10/2004	PISTON TYPE COMPRESSOR	INOUE, YOSHINORI
<u>10851870</u>	Not Issued	020	05/21/2004	DISPLACEMENT CONTROL MECHANISM FOR VARIABLE DISPLACEMENT COMPRESSOR	INOUE, YOSHINORI
<u>10789618</u>	Not Issued	020	02/27/2004	VARIABLE DISPLACEMENT COMPRESSOR	INOUE, YOSHINORI
<u>10789304</u>	Not Issued	020	02/27/2004	WRITE PROCESSING METHOD FOR STREAM TYPE COMMANDS AND MEDIUM STORAGE APPARATUS	INOUE, YOSHINORI
<u>10778952</u>	Not Issued	020	02/13/2004	PISTON COMPRESSOR	INOUE, YOSHINORI
<u>10773694</u>	Not Issued	020	02/05/2004	PISTON TYPE COMPRESSOR	INOUE, YOSHINORI
<u>10766002</u>	Not Issued	030	01/29/2004	DENTAL SYSTEM AND METHOD OF PRODUCING THE SAME	INOUE, YOSHINORI
<u>10737941</u>	Not Issued	020	12/16/2003	VEHICLE AIR CONDITIONING APPARATUS	INOUE, YOSHINORI
<u>10729308</u>	Not Issued	020	12/04/2003	METHOD OF ADJUSTING ROTARY MACHINE	INOUE, YOSHINORI
<u>10673139</u>	Not	041	09/30/2003	SEMICONDUCTOR MEMORY	INOUE,

	Issued			DEVICE HAVING REDUCED CURRENT DISSIPATION IN DATA HOLDING MODE	YOSHINORI
<u>10648436</u>	Not Issued	071	08/27/2003	CONNECTOR HAVING AIR CONDUCTING STRUCTURE AND SENSOR SYSTEM INCLUDING THE CONNECTOR	INOUE, YOSHINORI
<u>10607619</u>	Not Issued	030	06/27/2003	PISTON TYPE COMPRESSOR	INOUE, YOSHINORI
<u>10607191</u>	Not Issued	030	06/27/2003	NOX MEASUREMENT APPARATUS	INOUE, YOSHINORI
<u>10489813</u>	Not Issued	030	03/17/2004	NOX MEASUREMENT DEVICE, NOX SENSOR SELF-DIAGNOSIS DEVICE, AND SELF-DIAGNOSIS METHOD THEREOF	INOUE, YOSHINORI
<u>10329925</u>	<u>6670979</u>	150	12/27/2002	IMAGING APPARATUS, IMAGING METHOD, AND PRINTING APPARATUS	INOUE, YOSHINORI
<u>10300508</u>	Not Issued	164	11/20/2002	SWASH PLATE TYPE COMPRESSOR	INOUE, YOSHINORI
<u>10292043</u>	Not Issued	164	11/12/2002	PISTON TYPE COMPRESSOR	INOUE, YOSHINORI
<u>10216910</u>	Not Issued	020	08/13/2002	RECORDING/PLAYBACK APPARATUS	INOUE, YOSHINORI
<u>10210772</u>	Not Issued	083	08/01/2002	VARIABLE DISPLACEMENT COMPRESSOR WITH DECELERATING MECHANISM AND METHOD OF INHIBITING NOISE FOR THE SAME	INOUE, YOSHINORI
<u>10151446</u>	Not Issued	041	05/20/2002	SWASH PLATE TYPE COMPRESSOR	INOUE, YOSHINORI
<u>10151281</u>	Not Issued	161	05/20/2002	SHOE FOR SWASH PLATE TYPE COMPRESSOR AND METHOD OF PRODUCING THE SAME	INOUE, YOSHINORI
<u>10100072</u>	Not Issued	092	03/19/2002	COATING APPARATUS, PRINTING APPARATUS, IMAGING APPARATUS, PRINTING SYSTEM AND PRINTING METHOD	INOUE, YOSHINORI
<u>10073869</u>	Not Issued	094	02/14/2002	OPTICAL DISC PLAYER INCLUDING ADJUSTING SCREW AND SPRING	INOUE, YOSHINORI
<u>10047479</u>	<u>6510699</u>	150	10/23/2001	DISPLACEMENT CONTROL APPARATUS FOR VARIABLE	INOUE, YOSHINORI

				DISPLACEMENT COMPRESSOR	
<u>09987275</u>	<u>6477096</u>	150	11/14/2001	SEMICONDUCTOR MEMORY DEVICE CAPABLE OF DETECTING MEMORY CELL HAVING LITTLE MARGIN	INOUE, YOSHINORI
<u>09951149</u>	Not Issued	161	09/13/2001	VARIABLE DISPLACEMENT COMPRESSORS	INOUE, YOSHINORI
<u>09836713</u>	<u>6629823</u>	150	04/17/2001	COMPRESSORS	INOUE, YOSHINORI
<u>09833393</u>	<u>6511296</u>	150	04/12/2001	COMPRESSOR	INOUE, YOSHINORI
<u>09790919</u>	<u>6431841</u>	150	02/22/2001	COMPRESSOR WITH A PART OF A SPRING CHAMBER IN A REAR HOUSING	INOUE, YOSHINORI
<u>09725246</u>	<u>6382098</u>	150	11/29/2000	COATING APPARATUS, PRINTING APPARATUS, IMAGING APPARATUS, PRINTING SYSTEM AND PRINTING METHOD	INOUE, YOSHINORI
<u>09595643</u>	Not Issued	041	06/16/2000	VESSEL AND ABSORPTION INSTRUMENT USING THE VESSEL	INOUE, YOSHINORI
<u>09197489</u>	<u>6227109</u>	150	11/23/1998	MULTICOLOR PRINTING APPARATUS WITH HORIZONTALLY ROTATABLE DISCHARGE STATION	INOUE , YOSHINORI
<u>09194362</u>	<u>6522350</u>	150	11/25/1998	IMAGING DEVICE, IMAGING METHOD, AND PRINTING DEVICE	INOUE , YOSHINORI
<u>08982404</u>	<u>5905927</u>	150	12/02/1997	IMAGE FORMING APPARATUS AND DRIVING MECHANISM FOR IMAGE HOLDING MEMBER	INOUE , YOSHINORI
<u>08921801</u>	<u>6072026</u>	150	09/02/1997	ANILINE POLYMER ELECTRODE MATERIAL AND SECONDARY CELL	INOUE , YOSHINORI
<u>08597371</u>	<u>5708373</u>	150	02/08/1996	BOOST CIRCUIT	INOUE , YOSHINORI
<u>08541546</u>	<u>5691942</u>	250	10/10/1995	SEMICONDUCTOR MEMORY HAVING EXTENDED DATA OUT FUNCTION	INOUE , YOSHINORI
<u>08068709</u>	<u>5361230</u>	150	05/28/1993	MEMORY DEVICE DELAYING TIMING OF OUTPUTTING DATA IN A TEST MODE AS	INOUE , YOSHINORI

				COMPARED WITH A NORMAL OPERATION MODE	
<u>07821875</u>	<u>5184321</u>	150	01/16/1992	SEMICONDUCTOR MEMORY DEVICE COMPRISING A PLURALITY OF MEMORY ARRAYS WITH IMPROVED PERIPHERAL CIRCUIT LOCATION AND INTERCONNECTION ARRANGEMENT	INOUE , YOSHINORI
<u>07786320</u>	<u>5361223</u>	150	10/31/1991	SEMICONDUCTOR MEMORY DEVICE COMPRISING A PLURALITY OF MEMORY ARRAYS WITH IMPROVED PERIPHERAL CIRCUIT LOCATION AND INTERCONNECTION ARRANGEMENT	INOUE , YOSHINORI
<u>07739736</u>	<u>5208778</u>	150	07/30/1991	DYNAMIC-TYPE SEMICONDUCTOR MEMORY DEVICE OPERABLE IN TEST MODE AND METHOD OF TESTING FUNCTIONS THEREOF	INOUE , YOSHINORI
<u>07510873</u>	Not Issued	166	04/18/1990	MAGNETIC ROLLER FOR USE IN A DEVELOPING DEVICE	INOUE , YOSHINORI
<u>07507748</u>	<u>5018045</u>	250	04/12/1990	CORONA DISCHARGER FOR USE IN ELECTROPHOTOGRAPHIC COPYING MACHINE	INOUE , YOSHINORI
<u>07437874</u>	Not Issued	166	11/17/1989	SEMICONDUCTOR MEMORY DEVICE COMPRISING A PLURALITY OF MEMORY ARRAYS WITH IMPROVED PERIPHERAL CIRCUIT LOCATION AND INTERCONNECTION ARRANGEMENT	INOUE , YOSHINORI
<u>07437867</u>	<u>5097440</u>	150	11/17/1989	SEMICONDUCTOR MEMORY DEVICE COMPRISING A PLURALITY OF MEMORY ARRAYS WITH IMPROVED PERIPHERAL CIRCUIT LOCATION AND INTERCONNECTION ARRANGEMENT	INOUE , YOSHINORI
<u>07432837</u>	Not	166	11/07/1989	DYNAMIC-TYPE	INOUE ,

	Issued			SEMICONDUCTOR MEMORY DEVICE OPERABLE IN TEST MODE AND METHOD OF TESTING FUNCTIONS THEREOF	YOSHINORI
<u>07381347</u>	<u>4961167</u>	150	07/18/1989	SUBSTRATE BIAS GENERATOR IN A DYNAMIC RANDOM ACCESS MEMORY WITH AUTO/SELF REFRESH FUNCTIONS AND A METHOD OF GENERATING A SUBSTRATE BIAS THEREIN	INOUE , YOSHINORI
<u>07113761</u>	<u>4796439</u>	150	10/28/1987	AIR CONDITIONING SYSTEM	INOUE , YOSHINORI

[Search and Display More Records.](#)

Search Another: Inventor	Last Name	First Name	<input type="button" value="Search"/>
	<input type="text" value="inoue"/>	<input type="text" value="yoshinori"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Friday
Date: 1/14/2005

Time: 11:12:34



PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = INOUE

First Name = YOSHINORI

Application#	Patent#	Status	Date Filed	Title	Inventor Name 14
<u>09194362</u>	<u>6522350</u>	150	11/25/1998	IMAGING DEVICE, IMAGING METHOD, AND PRINTING DEVICE	INOUE , YOSHINORI
<u>08715968</u>	<u>5819843</u>	150	09/19/1996	COGENERATION SYSTEM	INOUE , YOSHINORI
<u>08597371</u>	<u>5708373</u>	150	02/08/1996	BOOST CIRCUIT	INOUE , YOSHINORI
<u>08541546</u>	<u>5691942</u>	250	10/10/1995	SEMICONDUCTOR MEMORY HAVING EXTENDED DATA OUT FUNCTION	INOUE , YOSHINORI
<u>08527769</u>	Not Issued	161	09/13/1995	CAPILLARY ELECTROPHORESIS APPARATUS AND ITS METHOD	INOUE , YOSHINORI
<u>08487212</u>	<u>5578942</u>	250	06/07/1995	SUPER VCC DETECTION CIRCUIT	INOUE , YOSHINORI
<u>08252785</u>	<u>5607013</u>	150	06/02/1994	COGENERATION SYSTEM	INOUE , YOSHINORI
<u>08229274</u>	<u>5490119</u>	150	04/18/1994	SEMICONDUCTOR DEVICE INCLUDING SIGNAL GENERATING CIRCUIT WITH LEVEL CONVERTING FUNCTION AND WITH REDUCED AREA OF OCCUPATION	INOUE , YOSHINORI
<u>08155369</u>	<u>5400292</u>	150	11/22/1993	SEMICONDUCTOR MEMORY DEVICE WITH CHANGEABLE INPUT/OUTPUT DATA BIT ARRANGEMENT	INOUE , YOSHINORI
<u>07507748</u>	<u>5018045</u>	250	04/12/1990	CORONA DISCHARGER FOR USE IN ELECTROPHOTOGRAPHIC COPYING MACHINE	INOUE , YOSHINORI

07454580	5010259	250	12/21/1989	VOLTAGE BOOSTING CIRCUIT AND OPERATING METHOD THEREOF	INOUE , YOSHINORI
07435901	5014246	250	11/14/1989	SEMICONDUCTOR MEMORY DEVICE HAVING SHARED SENSE AMPLIFIER AND OPERATING METHOD THEREOF	INOUE , YOSHINORI
07393922	5044172	150	08/24/1989	AIR CONDITIONING APPARATUS	INOUE , YOSHINORI
07152427	4843832	150	02/04/1988	AIR CONDITIONING SYSTEM FOR BUILDINGS	INOUE , YOSHINORI

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	<input type="button" value="Search"/>
	<input type="text" value="inoue"/>	<input type="text" value="yoshinori"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

FileViewEditToolsWindowHelp

Drafts

Pending

Active

L1: (275) air adj conductive

L2: (8) 1 with wire\$

L3: (1701) air adj conducting

L4: (169) 3 and wire

L5: (167) 4 not 1

L6: (109) 5 and electric\$

L7: (7) ((air adj conducting) with wire) and "6"

L8: (9604) air near3 wire

L9: (9601) 8 not 1

L10: (9601) 9 not 2

L11: (9595) 10 not 3

L12: (9595) 11 not 4

L13: (9595) 12 not 5

L14: (9595) 13 not 6

L15: (9595) 14 not 7

L16: (1183) 15 and connector

L17: (387) 16 and (air with connector)

L18: (318) 17 and electric\$

L19: (318) 18 and (wire)

L20: (318) 19 and (wire with air)

L21: (73) 20 and (terminal near3 wire)

L22: (10) 21 and (oxygen or exhaust)

L23: (1) "6516785".pn. and (wire with air)

Failed

Saved

Favorites

Tagged (0)

UDC

Queue

Trash

SearchListBrowseQueryClear

DBsUS-PGPUB: USPAT: EPO: JPO: DERWENTPlurals

Default operator: ORHighlight all hit terms initially

"6516785".pn. and (wire with air)

general

BRS formIS&R formImageTextHTML

U1Document IDIssue DatePagesTitleCurrent ORCurrent XReRetrieval C

HitsDetailsHTML

ReadyNUM

10408872.wap.1

FileViewEditToolsWindowHelp

Drafts

Pending

Active

- L1: (2410) air near2 conduction
- L2: (27) 1 with wire

Failed

Saved

Favorites

Tagged (0)

UDC

Queue

Trash

SearchListBrowseCancelClear

DBsUS-PGPUB:USPAT:EPO:JPO:DEIPlurels

Default operator:ORHighlight all hit terms initially

1 with wire

BRS formIS&R formImageTextHTML

U1Document IDIssue DatePagesTitleCurrent ORCurrent XRetrieval C

HitsDetailsHTML

ReadyNUM

General

10408272.asp:1

FileViewEditToolsWindowHelp

Drafts

Pending

Active

- L1: (15130) (spark adj plug).asn.
- L2: (1) 1 and (air adj conductive adj wire)
- L3: (10) 1 and (air with conductive with wire)

Failed

Saved

Favorites

Tagged (0)

UDC

Queue

Trash

SearchListBrowseQueryClear

DBsUS-PGPUB:USPAT:EPO:JPO:DEIPlurals

Default operator:ORHighlight all hit terms initially

1 and (air with conductive with wire)

BRS formIS&R formImageTextHTML

general assignment

U1Document IDIssue DatePagesTitleCurrent ORCurrent XRetrieval C

HitsDetailsHTML

ReadyNUM

FileViewEditToolsWindowHelp

Drafts

Pending

Active

- L2: (37916) ngk.asn.
- L3: (1238875) controller
- L4: (540) 3 and 2
- L5: (217) 4 and air
- L6: (18) 5 and connector
- L7: (1) 2 and (air adj conducting)

Failed

Saved

Favorites

Tagged (0)

UDC

Queue

Trash

SearchListBrowseQueryClear

DBsUS-PGPUB: USPAT: EPO: JPO: DEIPlurals

Default operator: ORHighlight all hit terms initially

3 and 2

BRS formIS&R formImageTextHTML

U1Document IDIssue DatePagesTitleCurrent ORCurrent XRetrieval C1

HitsDetailsHTML

ReadyNUM

assignment

10409872 Map 1

File View Edit Tools Window Help

Drafts

Pending

Active

- L3: (12400) ecu with sensor
- L4: (229) 3 and (air adj3 path)
- L5: (212) 4 and engine
- L6: (163) 5 and gas
- L7: (153) 6 and exhaust
- L8: (110) 7 and (exhaust with engine with gas)
- L9: (1) 8 and (ngk).asn.
- L10: (1) 8 and (spark adj plug).asn.
- L11: (83) 8 and electric\$
- L12: (44) 11 and (seal\$ or hermetic\$)
- L13: (3) 12 and hermetic\$
- L14: (38345) (air adj3 path)
- L15: (38116) 14 not 3
- L16: (1172) 15 and (wire with air)
- L17: (806) 16 and electric\$
- L18: (146) 17 and (engine)
- L19: (96) 18 and exhaust
- L20: (83) 19 and gas
- L21: (52) 20 and (exhaust with engine with gas)
- L22: (1) 21 and (hermetic\$)

Failed

Saved

Favorites

Tagged (0)

UDC

Queue

Trash

Search List Browse Query Clear

DBs US-PGPUB:USPAT:EPO:JPO:DEI Plurals

Default operator: OR Highlight all hit terms initially

21 and (hermetic\$)

BRS form IS&R form Image Text HTML

U 1 Document ID Issue DatePages Title Current OR Current XRe Retrieval C 1

Hits Details HTML

Ready NUM

Assignment

File View Edit Tools Window Help

Drafts

Pending

Active

- L1: (1311446) wire
- L2: (276558) kobayashi.in. or kumazawa.in. or inoue.in.
- L4: (13176) 2 and wire
- L5: (2221) 4 and air
- L6: (1566) 5 and electric\$
- L7: (1554) 6 not (spark adj plug).asn.
- L9: (25) 7 and (air with hermetic\$)
- L10: (6) (air with wire) and 9

Failed

Saved

Favorites

Tagged (0)

UDC

Queue

Trash

Search List Browse Query Filter

DBs US-PGPUB: USPAT: EPO: JPO: DEI ☒ Plurals

Default operator: OR ☐ Highlight all hit terms initially

BRS form IS&R form Image Text HTML

TypeName# DocumeComments

☒ Hits ☐ Details ☐ HTML

ReadyNUM

Invention